CPS Products, Inc. Page 1 Product: 499000 Universal A/C System Dye

MSDS-499000 Rev. 2

# MATERIAL SAFETY DATA SHEET Date: 02/01/24

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

### **Product Identification**

Product Name: 499000 Universal A/C Dye

Chemical Name: Proprietary
Chemical Family: Proprietary
CAS Number: Blend

### **Company Identification**

CPS Products, Inc.

1010 East 31st Street Hialeah, FL 33013

# **Chemtrec 24Hr Emergency Hotline**

United States: 800-424-9300 Outside U.S.: 703-527-3877

# 2. <u>COMPOSITION/INFORMATION ON INGREDIENTS</u>

Chemical NameAmountCAS NumberAROMATIC HYDROCARBON>10.0%68477-31-6

(See Section 8 for exposure guidelines) (See Section 15 for regulatory information)

#### HAZARDS DISCLOSURE

This product contains no known hazardous materials as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

As defined under Sara 311 and 312, this product contains no known hazardous materials.

# 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

#### **CAUTION**

Prolonged or repeated contact may cause skin or eye irritation.

Page 2 Product: 499000 Universal A/C System Dye

MSDS-499000 Rev. 2

# MATERIAL SAFETY DATA SHEET Date: 02/01/24

(Section 3 continued)

HMIS Rating - Health: 1

Flammability: 0

Reactivity: 0

Personal Protection Index: B

NFPA Rating - Health: 1

Flammability: 0
Reactivity: 0

#### POTENTIAL HEALTH EFFECTS

#### EYE:

Vapours may irritate the eyes.

#### SKIN:

Liquid may irritate and dry skin.

# **INHALATION:**

Inhalation of vapour or mist can cause irritation of nose and throat.

#### **INGESTION:**

Can cause headache, dizziness, nausea and abdominal upset.

# 4. FIRST AID MEASURES

#### **EYE CONTACT FIRST AID:**

Flush eye with water for 15 minutes. Get immediate medical attention.

### SKIN CONTACT FIRST AID:

Immediately flush skin with plenty of water for at least 15 minutes. For a large splash, flood body under a shower. Call a physician.

#### INHALATION FIRST AID:

Remove to fresh air. If not breathing, give artificial respiration. Get immediate medical attention.

### **INGESTION FIRST AID:**

If swallowed, do NOT induce vomiting. If swallowed, immediately give two glasses of water.

Page 3 Product: 499000 Universal A/C System Dye

MSDS-499000 Rev. 2

# MATERIAL SAFETY DATA SHEET Date: 02/01/24

#### **NOTES TO PHYSICIAN:**

Treatment should be directed at preventing absorption, administering to the symptoms as they occur and providing supportive therapy.

# 5. FIRE FIGHTING MEASURES

#### FLAMMABLE PROPERTIES

COC Flash Point: N/A
Auto-ignition Temperature: N/A

#### FLAMMABLE LIMITS IN AIR

LEL: %
UEL: %

#### **EXTINGUISHING MEDIA:**

Small Fires: Use foam, carbon dioxide, dry chemical, or water spray.

Large Fires: Use foam, water spray, or fog.

#### FIRE & EXPLOSION HAZARDS:

Keep material away from all sources of ignition: extreme heat, open flame, potential static or electric discharge, sparks, or sparks from frictional contact.

#### FIRE FIGHTING INSTRUCTIONS:

As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool fire-exposed containers. Do not spread fire with water.

# 6. ACCIDENTAL RELEASE MEASURES

# **SAFEGUARDS (PERSONNEL):**

Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction. Wear appropriate personal protective equipment. Ventilate spill area.

### **INITIAL CONTAINMENT:**

Absorb spills with inert material. Eliminate all sources of ignition - heat, sparks, flame, electricity, and impact.

#### LARGE SPILLS PROCEDURE:

Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Treat or dispose of waste material in accordance with all local state, provincial, and national requirements.

(Section 6 continued)

Page 4 Product: 499000 Universal A/C System Dye

MSDS-499000 Rev. 2

# MATERIAL SAFETY DATA SHEET Date: 02/01/24

#### SMALL SPILLS PROCEDURES

Same as above.

(Section 6 continued)

#### **MISCELLANEOUS:**

Disposal Methods: If discarded in its original unused form, this product should be managed (stored/treated/disposed/etc.) at an authorized facility, in compliance with all applicable Federal, State, and local requirements. Be sure to contact appropriate government environmental agencies if further disposal guidance is required. Of the methods of disposal currently available it is recommended that an alternative be selected according to the following order of preference, based upon environmental acceptability: 1) recycle or rework if at all feasible, 2)incinerate at authorized facility, or 3) treat at a waste treatment facility.

# 7. HANDLING AND STORAGE

### **HANDLING (PERSONNEL):**

Do not breathe vapour or get liquid in eyes or on skin or clothing. Use with adequate ventilation. Wear appropriate protective equipment.

#### HANDLING (PHYSICAL ASPECTS):

Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction. Store in a cool dry area.

#### **STORAGE PRECAUTIONS:**

Containers of this material may be hazardous when emptied due to solid or vapour residue. All hazard precautions given in this data sheet must be observed for empty containers.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **ENGINEERING CONTROLS:**

Use only with adequate ventilation.

# **EYE/FACE PROTECTION REQUIREMENTS:**

Wear safety glasses with side shields (or goggles) and a face shield.

# **SKIN PROTECTION REQUIREMENTS:**

Selection of specific items such as gloves, boots, apron or full-body suit will depend on operation.

Page 5 Product: 499000 Universal A/C System Dye

MSDS-499000 Rev. 2

# MATERIAL SAFETY DATA SHEET Date: 02/01/24

# **RESPIRATORY PROTECTION REQUIREMENTS:**

When there is potential for airborne exposures in excess of applicable limits, wear NIOSH/MSHA approved respiratory protection.

#### **EXPOSURE GUIDELINES:**

No Information Available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

FORM ...... Oil-like Liquid COLOUR ...... Dark Yellow

VAPOUR DENSITY .....: NA (Air = 1) SOLUBILITY IN WATER .....: Insoluble

# 10. STABILITY AND REACTIVITY

#### **STABILITY**:

Stable

# **POLYMERIZATION:**

Hazardous polymerization will not occur.

#### INCOMPATIBILITY WITH OTHER MATERIALS:

Avoid contact with strong oxidizing agents.

### **DECOMPOSITION:**

Decomposition may produce fumes, smoke, oxides of carbon and hydrocarbons. Decomposition forms oxides of carbon and nitrogen. Decomposition may produce amines.

# 11. TOXICOLOGICAL INFORMATION

No information available.

# 12. ECOLOGICAL INFORMATION

No information available.

# 13. DISPOSAL CONSIDERATIONS

# WASTE DISPOSAL:

UNCONTROLLED DOCUMENT

Page 6 Product: 499000 Universal A/C System Dye

MSDS-499000 Rev. 2

# MATERIAL SAFETY DATA SHEET Date: 02/01/24

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

# 14. TRANSPORTATION INFORMATION

PRODUCT LABEL ...... 499000 Universal A/C System Dye

D.O.T. SHIPPING NAME .....: N/A
TECHNICAL SHIPPING NAME ....: N/A
D.O.T. HAZARD CLASS .....: N/A
UN NUMBER .....: N/A

# 15. REGULATORY INFORMATION

#### **MISCELLANEOUS INFORMATION:**

This material or all of its components are listed on the Canadian Domestic Substances List (DSL).

# WHMIS Hazard Symbols:

None.

### **EEC Symbols and Indications of Danger:**

None.

#### **R-Phrases:**

R65 – May cause lung diseases if inhaled.

#### **S-Phrases:**

S1/2 – Keep locked up and out of the reach of children.

S23.1 – Do not breath gas/fumes/vapour.

S24 – Avoid contact with skin.

S62 – If swallowed, do not induce vomiting; seek medical advice immediately and Show this container or label.

# **NJ Right to Know List**

Aromatic Hydrocarbon (68477-31-6)

#### 16. OTHER INFORMATION

# UNCONTROLLED DOCUMENT

CPS Products, Inc.

Page 7 Product: 499000 Universal A/C System Dye

MSDS-499000 Rev. 2

# MATERIAL SAFETY DATA SHEET Date: 02/01/24

#### ADDITIONAL INFORMATION:

The data in this Material Safety Data Sheet relates only to the specific material designated herein. It does not relate to use in combination with any other material or in any process.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of CPS. The data on this sheet are related only to the specific material designated herein. CPS assumes no legal responsibility for use or reliance upon these data.

\*

file:I:\\MATERIALSAFETYDATASHEETS\CURRENTMSDS\UNIACDYE00.doc